

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: T-RUST CS12

SECTION 1: PRODUCT INFORMATION

Distributed By: Bridgepoint Systems, 4282 W 590 W, Salt Lake City, Utah 84123

Company Phone Number: 801-261-1282

Emergency Phone Number: 1-800-535-5053 (Infotrac)

Date Prepared: 02/01/2011

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

Fire: 0 Health: 2 Reactivity: 0

SECTION 2: INGREDIENTS

| PRINCIPLE HAZARDOUS INGREDIENTS: | <u>Oral LD</u> | <u>TLV</u> | <u>%</u> |
|---|----------------|------------|----------|
| Ammonium Hydrogen Fluoride (CAS #1341-49-7) | 300 mg/kg | 35 ppm | 5 |
| Dipropylene Glycol Monomethyl Ether (CAS #34590-94-8) | 5.4 mg/kg | 100 ppm | 5 |

SECTION 3: PHYSICAL DATA

| Boiling Point (°F) 212° F | Specific Gravity(H ₂ O=1) 1.01 |
|--|---|
| Vapor Pressure (mmHg.) N/A | Percent Volatile by Volume N/A |
| Vapor Density (AIR=1) Heavier than air | PH (1% Solution)4.5 |
| Solubility in Water 100% | |

Solubility in Water.....100%

Appearance & Odor.....Liquid, non-viscous, faint sweet odor

SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: Non-Flammable

Extinguishing Media: Use whatever is appropriate for surrounding materials involved in fire **Special Fire Fighting Procedures:** Wear self contained breathing apparatus. Protective clothing for

skin and eye protection should be worn.

Unusual Fire and Explosion Hazards: None known.

Stability: Stable.

Chemical Incompatibility: Strong acids or alkalize

Hazardous Decomposition or Byproducts: Thermal decomposition causes liberation of HF & NH3.

Contact with bases causes liberation of NH3 and with acids, HF

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Excessive heat and contamination of any kind

PRODUCT NAMET-RUST CS12 page 2 SECTION 5: HEALTH HAZARD INFORMATION

Route(s) of entry Eyes? Yes Skin? Yes Inhalation? Yes Ingestion? Yes

Health Hazards: Eyes –May cause irritation.

Skin – May cause irritation.

Inhalation –May cause coughing, sneezing & other more severe irritations. Ingestion – Will cause irritation to mucous membranes of the mouth & throat. Swallowing will cause severe burning of throat, esophagus and digestive tract accompanied by severe pain, vomiting and collapse.

Note: Repeated exposure to fluoride containing products may cause

fluoride poisoning which may cause death

Carcinoginicity: NTP? No OSHA? No IARC Monograph? No

SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

Eyes...... Flush with water for 20-30 minutes. Get medical attention

Skin...... Flush with water for 15 minutes. Get medical attention. Remove contaminated

clothing.

Inhalation.. Move to fresh air. Give artificial respiration if not breathing. Get immediate

medical attention

Ingestion... Do not induce vomiting. Give large quantities of water. Get immediate medical

attention

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection... Use a NIOSH/MSHA approved respirator.

Protective Clothing...... Rubber gloves recommended. Eye Protection...... Safety goggles recommended.

vapors.

incompatible materials. Store in tightly closed container when not

in use.

SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Contain with chemical absorbent material. Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. <u>All</u> disposal must be in accordance with all federal, state and local regulations.

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.